Title Index of Volume 39, 2001

Volume 39, Number 1

Type Curves for Pumping Test Analysis in Coastal Aquifers, by S.A. Sakr, 5-9.

Geostatistical Inversion of Cross-Hole Pumping Tests for Identifying Preferential Flow Channels Within a Shear Zone, by P.M. Meier, A. Medina, J. Carrera, 10-17.

The Recharge Mechanisms in an Alluvial Aquifer Zone in Northeast Brazil, by M.F. Santiago, H. Frischkorn, P.S. Neto, J.M. Filho,18-23.

Identifying Potential Land Use-Derived Solute Sources to Stream Baseflow Using Ground Water Models and GIS, by D.F. Boutt, D.W. Hyndman, B.C. Pijanowski, D.T. Long, 24-34.

Risk-Cost Analysis in Ground Water Contaminant Transport: The Role of Random Spatial Variability and Sorption Kinetics, by C. Andersson, G. Destouni, 35-48.

Contribution of Base Flow to Nonpoint Source Pollution Loads in an Agricultural Watershed, by K.E. Schilling, C.F. Wolter, 49-58.

Modeling the Effect of Chemical Fertilizers on Ground Water Quality in the Nile Valley Aquifer, Egypt, by M. Shamrukh, M.Y. Corapcioglu, F.A.A. Hassona, 59-67.

Assessing an Open-Well Aquifer Test in Fractured Crystalline Rock, by C.R. Tiedeman, P.A. Hsieh, 68-78.

An Analytical Solution for Stream Depletion by Cyclic Pumping of Wells Near Streams with Semipervious Beds, by Y. Darama, 79-86.

Mapping Coastal Aquifers by Joint Inversion of DC and TEM Soundings—Three Case Histories, by Y. Albouy, P. Andrieux, G. Rakotondrasoa, M. Ritz, M. Descloitres, J.-L. Join, E. Rasolomanana, 87-97.

Geochemical Evolution of Ground Water in the Great Plains (Dakota) Aquifer of Nebraska: Implications for the Management of a Regional Aquifer System, by D.C. Gosselin, F.E. Harvey, C.D. Frost, 98-108.

Forecasting of Turbid Floods in a Coastal, Chalk Karstic Drain Using an Artificial Neural Network, by P. Beaudeau, T. Leboulanger, M. Lacroix, S. Hanneton, H.Q. Wang, 109-118.

A Conceptual Model for DNAPL Transport in Karst Ground Water Basins, by C.M. Loop, W.B. White, 119-127.

Stress-Strain Analyses for Aquifer-System Characterization, by T.J. Burbey, 128-136.

Three-Dimensional Modeling of Density-Dependent Salt Water Intrusion in Multilayered Coastal Aquifers in Jahe River Basin, Shandong Province, China, by J.M. Cheng, C.X. Chen, 137-143.

Volume 39, Number 2

Atrazine Retention and Degradation in the Vadose Zone at a Till Plain Site in Central Indiana, by E.R. Bayless, 169-180.

Evaluation of Ground Water Monitoring Network by Principal Component Analysis, by S. Gangopadhyay, A. Das Gupta, M.H. Nachabe, 181-191.

Natural Attenuation of Volatile Organic Compounds (VOCs) in the Leachate Plume of a Municipal Landfill: Using Alkylbenzenes as Process Probes, by R.P. Eganhouse, I.M. Cozzarelli, M.A. Scholl, L.L. Matthews, 192-202.

Distribution Functions of Spring Discharges According to Their Lithologies and the Influence of Lower Limit to Flow: An Example from Spain, by E. S. Pérez, 203-209.

Use of Quantitative Models to Design Microbial Transport Experiments in a Sandy Aquifer, by T.D. Scheibe, Y.-J. Chien, J.S. Radtke, 210-222.

Chemical Erosion of the Lilburn Cave System, Kings Canyon National Park, California, by N. Abu-Jaber, J.W. Hess, W. Howcroft, 223-229.

A Rapid Screening-Level Method to Optimize Location of Infiltration Ponds, by G.G. Fennemore, A. Davis, L. Goss, A.W. Warrick, 230-238.

Success of Salinity in Ground Water from Jericho Area, Jordan Valley, by A. Marie, A. Vengosh, 240-248.

A Strategy for Modeling Ground Water Rebound in Abandoned Deep Mine Systems, by R. Adams, P.L. Younger, 249-261.

Assessing Herbicide Concentrations in the Saturated and Unsaturated Zone of a Chalk Aquifer in Southern England, by D.C. Gooddy, J.P. Bloomfield, P.J. Chilton, A.C. Johnson, R.J. Williams, 262-271.

Extension of Vedernikov's Graph for Seepage from Canals, by B.R. Chahar, 272-275.

Influence of Transient Flow on Contaminant Biodegradation, by M. Schirmer, G.C. Durrant, J.W. Molson, E.O. Frind, 276-282.

A Stream Depletion Field Experiment, by B. Hunt, J. Weir, B. Clausen, 283-289.

Relating Nitrogen Sources and Aquifer Susceptibility to Nitrate in Shallow Ground Waters of the United States, by B.T. Nolan, 290-299.

A Comparison of Solute-Transport Solution Techniques and Their Effect on Sensitivity Analysis and Inverse Modeling Results, by S. Mehl, M.C. Hill, 300-307.

A Modification to the Bouwer and Rice Method of Slug-Test Analysis for Large-Diameter, Hand-Dug Wells, by D.E. Rupp, J.S. Selker, J. Šimůnek, 308-314.

Volume 39, Number 3

Effect of Heterogeneity on Radionuclide Retardation in the Alluvial Aquifer Near Yucca Mountain, Nevada, by S. Painter, V. Cvetkovic, D.R. Turner, 326-338.

A Model of Cells as Practical Approach to Simulate Spring Flow in the Itxina Karstic Aquifer, Basque Country, Spain, by J.G. Soliz, H.L. Acebo, 339-347.

In Situ Determination of Subsurface Microbial Enzyme Kinetics, by J.D. Istok, J.A. Field, M.H. Schroth, 348-355.

Coefficient of Permeability Determined by Measurable Parameters, by D.W. Barr, 356-361.

A Variable-Volume, Head-Dependent Mine Water Filling Model, by D. Banks, 362-365.

Analytical Procedure for Simultaneous Use of Seven Fluorobenzoates in Multitracer Tests, by O. Dahan, Z. Ronen, 366-370.

Modeling Preferential Flow in Reactive Barriers: Implications for Performance and Design, by S.G. Benner, D.W. Blowes, J.W.H. Molson, 371-379.

Use of NADP Archive Samples to Determine the Isotope Composition of Precipitation: Characterizing the Meteoric Input Function for Use in Ground Water Studies, by F.E. Harvey, 380-390.

An Assessment of a Mesocosm Approach to the Study of Microbial Respiration in a Sandy Unsaturated Zone, by M.J. Hendry, C.A. Mendoza, R. Kirkland, J.R. Lawrence, 391-400.

Comparison of Upscaling Methods to Estimate Hydraulic Conductivity, by P. Vidstrand, 401-407.

Delineating Ground Water Recharge from Leaking Irrigation Canals Using Water Chemistry and Isotopes, by F.E. Harvey, S.S. Sibray, 408-421.

Travel-Time Based Model of Bioremediation Using Circulation Wells, by O.A. Cirpka, P.K. Kitanidis, 422-432.

Arsenic in Glacial Drift Aquifers and the Implication for Drinking Water—Lower Illinois River Basin, by K.L. Warner, 433-442.

Modeling of a Deep-Seated Geothermal System Near Tianjin, China, by X. Zhou, M. Chen, W. Zhao, M. Li, 443-448.

A First Estimate of Ground Water Ages for the Deep Aquifer of the Kathmandu Basin, Nepal, Using the Radioisotope Chlorine-36, by R.G. Cresswell, J. Bauld, G. Jacobson, M.S. Khadka, M.G. Jha, M.P. Shrestha, S. Regmi, 449-457.

Storage Coefficient Revisited: Is Purely Vertical Strain a Good Assumption? by T.J. Burbey, 458-464.

Title Index of Volume 39, 2001

Volume 39, Number 1

Type Curves for Pumping Test Analysis in Coastal Aquifers, by S.A. Sakr, 5-9.

Geostatistical Inversion of Cross-Hole Pumping Tests for Identifying Preferential Flow Channels Within a Shear Zone, by P.M. Meier, A. Medina, J. Carrera, 10-17.

The Recharge Mechanisms in an Alluvial Aquifer Zone in Northeast Brazil, by M.F. Santiago, H. Frischkorn, P.S. Neto, J.M. Filho,18-23.

Identifying Potential Land Use-Derived Solute Sources to Stream Baseflow Using Ground Water Models and GIS, by D.F. Boutt, D.W. Hyndman, B.C. Pijanowski, D.T. Long, 24-34.

Risk-Cost Analysis in Ground Water Contaminant Transport: The Role of Random Spatial Variability and Sorption Kinetics, by C. Andersson, G. Destouni, 35-48.

Contribution of Base Flow to Nonpoint Source Pollution Loads in an Agricultural Watershed, by K.E. Schilling, C.F. Wolter, 49-58.

Modeling the Effect of Chemical Fertilizers on Ground Water Quality in the Nile Valley Aquifer, Egypt, by M. Shamrukh, M.Y. Corapcioglu, F.A.A. Hassona, 59-67.

Assessing an Open-Well Aquifer Test in Fractured Crystalline Rock, by C.R. Tiedeman, P.A. Hsieh, 68-78.

An Analytical Solution for Stream Depletion by Cyclic Pumping of Wells Near Streams with Semipervious Beds, by Y. Darama, 79-86.

Mapping Coastal Aquifers by Joint Inversion of DC and TEM Soundings—Three Case Histories, by Y. Albouy, P. Andrieux, G. Rakotondrasoa, M. Ritz, M. Descloitres, J.-L. Join, E. Rasolomanana, 87-97.

Geochemical Evolution of Ground Water in the Great Plains (Dakota) Aquifer of Nebraska: Implications for the Management of a Regional Aquifer System, by D.C. Gosselin, F.E. Harvey, C.D. Frost, 98-108.

Forecasting of Turbid Floods in a Coastal, Chalk Karstic Drain Using an Artificial Neural Network, by P. Beaudeau, T. Leboulanger, M. Lacroix, S. Hanneton, H.Q. Wang, 109-118.

A Conceptual Model for DNAPL Transport in Karst Ground Water Basins, by C.M. Loop, W.B. White, 119-127.

Stress-Strain Analyses for Aquifer-System Characterization, by T.J. Burbey, 128-136.

Three-Dimensional Modeling of Density-Dependent Salt Water Intrusion in Multilayered Coastal Aquifers in Jahe River Basin, Shandong Province, China, by J.M. Cheng, C.X. Chen, 137-143.

Volume 39, Number 2

Atrazine Retention and Degradation in the Vadose Zone at a Till Plain Site in Central Indiana, by E.R. Bayless, 169-180.

Evaluation of Ground Water Monitoring Network by Principal Component Analysis, by S. Gangopadhyay, A. Das Gupta, M.H. Nachabe, 181-191.

Natural Attenuation of Volatile Organic Compounds (VOCs) in the Leachate Plume of a Municipal Landfill: Using Alkylbenzenes as Process Probes, by R.P. Eganhouse, I.M. Cozzarelli, M.A. Scholl, L.L. Matthews, 192-202.

Distribution Functions of Spring Discharges According to Their Lithologies and the Influence of Lower Limit to Flow: An Example from Spain, by E. S. Pérez, 203-209.

Use of Quantitative Models to Design Microbial Transport Experiments in a Sandy Aquifer, by T.D. Scheibe, Y.-J. Chien, J.S. Radtke, 210-222.

Chemical Erosion of the Lilburn Cave System, Kings Canyon National Park, California, by N. Abu-Jaber, J.W. Hess, W. Howcroft, 223-229.

A Rapid Screening-Level Method to Optimize Location of Infiltration Ponds, by G.G. Fennemore, A. Davis, L. Goss, A.W. Warrick, 230-238.

Success of Salinity in Ground Water from Jericho Area, Jordan Valley, by A. Marie, A. Vengosh, 240-248.

A Strategy for Modeling Ground Water Rebound in Abandoned Deep Mine Systems, by R. Adams, P.L. Younger, 249-261.

Assessing Herbicide Concentrations in the Saturated and Unsaturated Zone of a Chalk Aquifer in Southern England, by D.C. Gooddy, J.P. Bloomfield, P.J. Chilton, A.C. Johnson, R.J. Williams, 262-271.

Extension of Vedernikov's Graph for Seepage from Canals, by B.R. Chahar, 272-275.

Influence of Transient Flow on Contaminant Biodegradation, by M. Schirmer, G.C. Durrant, J.W. Molson, E.O. Frind, 276-282.

A Stream Depletion Field Experiment, by B. Hunt, J. Weir, B. Clausen, 283-289.

Relating Nitrogen Sources and Aquifer Susceptibility to Nitrate in Shallow Ground Waters of the United States, by B.T. Nolan, 290-299.

A Comparison of Solute-Transport Solution Techniques and Their Effect on Sensitivity Analysis and Inverse Modeling Results, by S. Mehl, M.C. Hill, 300-307.

A Modification to the Bouwer and Rice Method of Slug-Test Analysis for Large-Diameter, Hand-Dug Wells, by D.E. Rupp, J.S. Selker, J. Šimůnek, 308-314.

Volume 39, Number 3

Effect of Heterogeneity on Radionuclide Retardation in the Alluvial Aquifer Near Yucca Mountain, Nevada, by S. Painter, V. Cvetkovic, D.R. Turner, 326-338.

A Model of Cells as Practical Approach to Simulate Spring Flow in the Itxina Karstic Aquifer, Basque Country, Spain, by J.G. Soliz, H.L. Acebo, 339-347.

In Situ Determination of Subsurface Microbial Enzyme Kinetics, by J.D. Istok, J.A. Field, M.H. Schroth, 348-355.

Coefficient of Permeability Determined by Measurable Parameters, by D.W. Barr, 356-361.

A Variable-Volume, Head-Dependent Mine Water Filling Model, by D. Banks, 362-365.

Analytical Procedure for Simultaneous Use of Seven Fluorobenzoates in Multitracer Tests, by O. Dahan, Z. Ronen, 366-370.

Modeling Preferential Flow in Reactive Barriers: Implications for Performance and Design, by S.G. Benner, D.W. Blowes, J.W.H. Molson, 371-379.

Use of NADP Archive Samples to Determine the Isotope Composition of Precipitation: Characterizing the Meteoric Input Function for Use in Ground Water Studies, by F.E. Harvey, 380-390.

An Assessment of a Mesocosm Approach to the Study of Microbial Respiration in a Sandy Unsaturated Zone, by M.J. Hendry, C.A. Mendoza, R. Kirkland, J.R. Lawrence, 391-400.

Comparison of Upscaling Methods to Estimate Hydraulic Conductivity, by P. Vidstrand, 401-407.

Delineating Ground Water Recharge from Leaking Irrigation Canals Using Water Chemistry and Isotopes, by F.E. Harvey, S.S. Sibray, 408-421.

Travel-Time Based Model of Bioremediation Using Circulation Wells, by O.A. Cirpka, P.K. Kitanidis, 422-432.

Arsenic in Glacial Drift Aquifers and the Implication for Drinking Water—Lower Illinois River Basin, by K.L. Warner, 433-442.

Modeling of a Deep-Seated Geothermal System Near Tianjin, China, by X. Zhou, M. Chen, W. Zhao, M. Li, 443-448.

A First Estimate of Ground Water Ages for the Deep Aquifer of the Kathmandu Basin, Nepal, Using the Radioisotope Chlorine-36, by R.G. Cresswell, J. Bauld, G. Jacobson, M.S. Khadka, M.G. Jha, M.P. Shrestha, S. Regmi, 449-457.

Storage Coefficient Revisited: Is Purely Vertical Strain a Good Assumption? by T.J. Burbey, 458-464.

Noninvasive Determination of the Location and Distribution of DNAPL Using Advanced Seismic Reflection Techniques, by T.J. Temples, M.G. Waddell, W.J. Domoracki, J. Eyer, 465-474.

Volume 39, Number 4

Trace Metal Concentrations in Shallow Ground Water, by L.M. Zelewski, D.P. Krabbenhoft, D.E. Armstrong, 485-491.

Hydrogeolgocial Research: Beginning of the End or End of the Beginning? by F.W. Schwartz, M. Ibaraki, 492-498.

Exercises Illustrating Flow in Porous Media, by J. Massmann, L. Johnson, 499-504.

The Steady-State Dipole-Flow Test for Characterization of Hydraulic Conductivity Statistics in a Highly Permeable Aquifer: Horkheimer Insel Site, Germany, by V.A. Zlotnik, B.R. Zurbuchen, T. Ptak, 504-516.

Effect of Natural Gas Exsolution on Specific Storage in a Confined Aquifer Undergoing Water Level Decline, by R.M. Yager, J.C. Fountain, 517-525.

Ground Water/Surface Water Interactions in Lake Naivasha, Kenya, Using δ^{18}, δD, *and* $^{3}H/^{3}He$ *Age-Dating,* by B.S. Ojiambo, R.J. Poreda, W.B. Lyons, 526-533.

Numerical Simulation of a Natural Gradient Tracer Experiment for the Natural Attenuation Study: Flow and Physical Transport, by H.E. Julian, J.M. Boggs, C. Zheng, C.E. Freehey, 534-545.

Riverbed Permeabilities: Information from Pooled Data, by A. Calver, 546-553.

A Joint TEM-HLEM Geophysical Approach to Borehole Siting in Deeply Weathered Granitic Terrains, by M.A. Meju, S.L. Fontes, E.U. Ulugergerli, E.F. La Terra, C.R. Germano, R.M. Carvalho, 554-567.

Exploitation of High-Yields in Hard-Rock Aquifers: Downscaling Methodology Combining GIS and Multicriteria Analysis to Delineate Field Prospecting Zones, by P. Lachassagne, R. Wyns, P. Bérard, T. Bruel, L. Chéry, T. Coutand, J-F. Desprats, P. Le Strat, 568-581.

A Numerical Model and Spreadsheet Interface for Pumping Test Analysis, by G.S. Johnson, D.M. Cosgrove, D.B. Frederick, 582-592.

Application of Continuous Time Random Walk Theory to Tracer Test Measurements in Fractured and Heterogeneous Porous Media, by B. Berkowitz, G. Kosakowski, G. Margolin, H. Scher, 593-604.

Introduction of Wavelet Analyses to Rainfall/Runoffs Relationship for a Karstic Basin: The Case of Licq-Atherey Karstic System (France), by D. Labat, R. Ababou, A Mangin, 605-615.

Evaluation of Recharge in a Small Temperate Catchment Using Natural and Applied $\delta^{18}O$ *Profiles in the Unsaturated Zone,* by C. McConville, R.M. Kalin, H. Johnston, G.W. McNeill, 616-623.

Calibration of the DRASTIC Ground Water Vulnerability Mapping Method, by M.G. Rupert, 625-630.

Volume 39, Number 5

Turbulent Flow Through Porous Media, by D.W. Barr, 646-650.

Drawdown and Stream Depletion Produced by Pumping in the Vicinity of a Partially Penetrating Stream, by J.J. Butler Jr., V.A. Zlotnik, M-S Tsou, 651-659.

Influence of Natural Heterogeneity on the Efficiency of Chemical Floods in Source Zones, by M. Ibaraki, F. W. Schwartz, 660-666.

Hydraulic Head Applications of Flow Logs in the Study of Heterogeneous Aquifers, by F.L. Paillet, 667-675.

Initial Yield to Depth Relation for Water Wells Drilled into Crystalline Bedrock—Pinardville, Quadrangle, New Hampshire, by L.J. Drew, J.H. Schuenemeyer, T.R. Armstrong, D.M. Sutphin, 676-684.

Numerical Inverse Interpretation of Single-Hole Pneumatic Tests in Unsaturated Fractured Tuff, by V.V. Vesselinov, S.P. Neuman, 685-695.

Quantitative Measurement of Channel-Block Hydraulic Interactions by Experimental Saturation of a Large, Natural, Fissured Rock Mass, by Y. Guglielmi, J. Mudry, 696-701.

Delineating a Recharge Area for a Spring Using Numerical Modeling, Monte Carlo Techniques, and Geochemical Investigation, by R.J. Hunt, J.J. Steuer, M.T.C. Mansor, T.D. Bullen, 702-712.

Explaining the Thinness of the Fresh Water Lens in the Pleistocene Carbonate Aquifer on Andros Island, Bahamas, by R.W. Ritzi Jr., J.M. Bukowski, C.K. Carney, M.R. Boardman, 713-720.

Migration of Induced-Infiltrated Stream Water into Nearby Aquifers Due to Seasonal Ground Water Withdrawal, by X. Chen, 721-728.

Delineating Depth to Bedrock Beneath Shallow Unconfined Aquifers: A Gravity Transect Across the Palmer River Basin, by R.N. Bohidar, J.P. Sullivan, J.F. Hermance, 729-736.

Application of a Nonlinear Slug Test Model, by C.D. McElwee, 737-744.

Fluorescence of Dissolved Organic Matter as a Natural Tracer of Ground Water, by A. Baker, J. Lamont-Black, 745-750.

Subsurface Transfer of Chloride After a Lake Retreat in the Central Andes, by A. Coudrain, A. Talbi, E. Ledoux, M. Loubet, J. Vacher, E. Ramirez, 751-759.

Characterization and Origin of Dissolved Organic Carbon in Yegua Ground Water in Brazos County, Texas, by J. Routh, E.L. Grossman, E.M. Murphy, R. Benner, 760-767.

Determination of Specific Yield for the Biscayne Aquifer with a Canal-Drawdown Test, by C.H. Bolster, D.P. Genereux, J.E. Saiers, 768-777.

A Nested Rediscretization Method to Improve Pathline Resolution by Eliminating Weak Sinks Representing Wells, by F.J. Spitz, R.S. Nicholson, D.A. Pope, 778-785.

Fracture Wall Cements and Coatings from Two Clayey Till Aquitards, by C.A. Corrigan, H.E. Jamieson, V.H. Remenda, 786-794.

Volume 39, Number 6

Estimating Recharge Distribution by Incorporating Runoff from Mountainous Areas in an Alluvial Basin in the Great Basin Region of the Southwestern United States, by D.B. Stone, C.L. Moomaw, A. Davis, 807-818.

Fate of the Herbicides 2,4,5-T, Atrazine, and DNOC in a Shallow, Anaerobic Aquifer Investigated by In Situ Passive Diffusive Emitters and Laboratory Batch Experiments, by N.P. Arildskov, P.G. Pedersen, H.-J. Albrechtsen, 819-830.

Potential Artifacts in Interpretation of Differential Breakthrough of Colloids and Dissolved Tracers in the Context of Transport in a Zero-Valent Iron Permeable Reactive Barrier, by P. Zhang, W.P. Johnson, M.J. Piana, C.C. Fuller, D.L. Naftz, 831-840.

Noble Gas and Major Element Constraints on the Water Dynamics in an Alpine Floodplain, by J. Holocher, V. Matta, W. Aeschbach-Hertig, U. Beyerle, M. Hofer, F. Peeters, R. Kipfer, 841-852.

Implications of Observed and Simulated Ambient Flow in Monitoring Wells, by A. Elci, F.J. Molz III, W.R. Waldrop, 853-862.

Improved Calculations for Dewatered Cells in MODFLOW, by J. Doherty, 863-869.

Comparison of Instream Methods for Measuring Hydraulic Conductivity in Sandy Streambeds, by M.K. Landon, D.L. Rus, F.E. Harvey, 870-885.

Viral Transport in a Sand and Gravel Aquifer Under Field Pumping Conditions, by W.W. Woessner, P.N. Ball, D.C. DeBorde, T.L. Troy, 886-894.

Colloid Mobilization in the Field Using Citrate to Remediate Chromium, by C.R. Johnson, L.A. Hellerich, N.P. Nikolaidis, P.M. Gschwend, 895-903.

Development and Evaluation of an Ultrasonic Ground Water Seepage Meter, by R.J. Paulsen, C.F. Smith, D. O'Rourke, T-F. Wong, 904-911.

Analytical Studies on the Impact of Land Reclamation on Ground Water Flow, by J.J. Jiao, S. Nandy, H. Li, 912-920.

Characterization of Iron and Manganese Precipitates from an In Situ Ground Water Treatment Plant, by S. Mettler, M. Abdelmoula, E. Hoehn, R. Schoenenberger, P. Weidler, U. von Gunten, 921-930.

Selecting MODFLOW Cell Sizes for Accurate Flow Fields, by H. Haitjema, V. Kelson, W. de Lange, 931-938.

Numerical Simulation of a Natural Attentuation Experiment with a Petroleum Hydrocarbon NAPL Source, by J.S. Brauner, M.A. Widdowson, 939-952.

Book Reviews

Applied Hydrogeology of Fractured Rocks, by B.B.S. Singhal and R.P. Gupta. Reviewed by Kenneth R. Bradbury, v. 39, no. 3: 324-325.

Hydrogeochemistry of the Hypergenesis Zone and General Hydrogeology, by S.L. Shvartsev. Reviewed by Ernst Zaltsberg, v. 39, no. 5: 642.

A Manual of Field Hydrogeology, by Laura L. Sanders. Reviewed by D.L. Brown, v. 39, no. 2: 164.

Natural Attenuation of Groundwater Remediation, National Research Council, Committee on Intrinsic Remediation. Reviewed by E. Nichols, v. 39, no. 6: 806.

Optimal Management of Flow in Groundwater Systems, by David P. Ahlfeld and Ann E. Mulligan. Reviewed by R. Andricevic, v. 39, no. 1: 4.

Computer Notes

Dispersion in VLEACH and Similar Models, by M. C. Sukop, v. 39, no. 6: 953-954.

Discussion of Papers

Anomalous Fresh Water Lens Morphology on a Strip Barrier Island, by C. Ruppel, G. Schultz, S. Kruse (v. 38, no. 6: 872-881). Discussion by W. P. Anderson Jr., v. 39, no. 6: 804-805.

A Conceptual Model for DNAPL Transport in Karst Ground Water Basins, by C.M. Loop and W.B. White (v. 39, no. 1: 119-127). Discussion by T. Aley, v. 39, no. 4: 482-483.

On Capture Width and Capture Zone in Multiple Well Systems, by J.B. Erdmann (v. 38, no. 4: 497-504). Discussion by J.A. Christ, v. 39, no. 1: 2-3.

Editorials

Ground Water and Climate, by W.M. Alley, v. 39, no. 2: 161.

Ground Water Is Alive and Well—It Just Keeps Shifting, by K. Belitz, v. 39, no. 4: 481.

Misperception: A Challenge for Geoscience, by W.W. Wood, v. 39, no. 1: 1.

The Scientific Process and Hollywood: The Case of Hexavalent Chromium by M.G. Steinpress, A.C. Ward, v. 39, no. 3: 321.

Water Sustainability—Science or Management? by W.W. Wood, v. 39, no. 5: 641.

The Value of Long-Term Ground Water Level Monitoring, by W.M. Alley, C.J. Taylor, v. 39, no. 6: 801.

Software Spotlight

VS2DI, version 1.1, by the U.S. Geological Survey. Reviewed by David M. Diodato, v. 39, no. 2: 166-167.

Technical Note

Comparison of Continuous and Cyclic Pumping from a Well, by M.W. Kawecki, v. 39, no. 4: 631-633.

A Simple Solution for Drawdown Calculation in a Large-Diameter Well, by M. Cimen, v. 39, no. 1: 144-147.

Author Index of Volume 39, 2001

Abu-Jaber, N., J.W. Hess, W. Howcroft, *Chemical Erosion of the Lilburn Cave System, Kings Canyon National Park, California*, 223-229.

Adams, R., P.L. Younger, *A Strategy for Modeling Ground Water Rebound in Abandoned Deep Mine Systems*, 249-261.

Albouy, Y., P. Andrieux, G. Rakotondrasoa, M. Ritz, M. Descloitres, J.-L. Join, E. Rasolomanana, *Mapping Coastal Aquifers by Joint Inversion of DC and TEM Soundings—Three Case Histories*, 87-97.

Andersson, C., G. Destouni, *Risk-Cost Analysis in Ground Water Contaminant Transport: The Role of Random Spatial Variability and Sorption Kinetics*, 35-48.

Arildskov, N.P., P.G. Pedersen, H.-J. Albrechtsen, *Fate of the Herbicides 2,4,5-T, Atrazine, and DNOC in a Shallow, Anaerobic Aquifer Investigated by In Situ Passive Diffusive Emitters and Laboratory Batch Experiments*, 819-830.

Baker, A., J. Lamont-Black, *Fluorescence of Dissolved Organic Matter as a Natural Tracer of Ground Water*, 745-750.

Banks, D., *A Variable-Volume, Head-Dependent Mine Water Filling Model*, 362-365.

Barr, D.W., *Coefficient of Permeability Determined by Measurable Parameters*, 356-361.

Barr, D.W., *Turbulent Flow Through Porous Media*, 646-650.

Bayless, E.R., *Atrazine Retention and Degradation in the Vadose Zone at a Till Plain Site in Central Indiana*, 169-180.

Beaudeau, P., T. Leboulanger, M. Lacroix, S. Hanneton, H.Q. Wang, *Forecasting of Turbid Floods in a Coastal, Chalk Karstic Drain Using an Artificial Neural Network*, 109-118.

Benner, S.G., D.W. Blowes, J.W.H. Molson, *Modeling Preferential Flow in Reactive Barriers: Implications for Performance and Design*, 371-379.

Berkowitz, B., G. Kosakowski, G. Margolin, H. Scher, *Application of Continuous Time Random Walk Theory to Tracer Test Measurements in Fractured and Heterogeneous Porous Media*, 593-604.

Bohidar, R.N., J.P. Sullivan, J.F. Hermance, *Delineating Depth to Bedrock Beneath Shallow Unconfined Aquifers: A Gravity Transect Across the Palmer River Basin*, 729-736.

Bolster, C.H., D.P. Genereux, J.E. Saiers, *Determination of Specific Yield for the Biscayne Aquifer with a Canal-Drawdown Test*, 768-777.

Boutt, D.F., D.W. Hyndman, B.C. Pijanowski, D.T. Long, *Identifying Potential Land Use-Derived Solute Sources to Stream Baseflow Using Ground Water Models and GIS*, 24-34.

Brauner, J.S., M.A. Widdowson, *Numerical Simulation of a Natural Attentuation Experiment with a Petroleum Hydrocarbon NAPL Source*, 939-952.

Burbey, T.J., *Storage Coefficient Revisited: Is Purely Vertical Strain a Good Assumption?* 458-464.

Burbey, T.J., *Stress-Strain Analyses for Aquifer-System Characterization*, 128-136.

Butler Jr., J.J., V.A. Zlotnik, M-S Tsou, *Drawdown and Stream Depletion Produced by Pumping in the Vicinity of a Partially Penetrating Stream*, 651-659.

Calver, A., *Riverbed Permeabilities: Information from Pooled Data*, 546-553.

Chahar, B.R., *Extension of Vedernikov's Graph for Seepage from Canals*, 272-275.

Chen, X., *Migration of Induced-Infiltrated Stream Water into Nearby Aquifers Due to Seasonal Ground Water Withdrawal*, 721-728.

Cheng, J.M., C.X. Chen, *Three-Dimensional Modeling of Density-Dependent Salt Water Intrusion in Multilayered Coastal Aquifers in Jahe River Basin, Shandong Province, China*, 137-143.

Cirpka, O.A., P.K. Kitanidis, *Travel-Time Based Model of Bioremediation Using Circulation Wells*, 422-432.

Corrigan, C.A., H.E. Jamieson, V.H. Remenda, *Fracture Wall Cements and Coatings from Two Clayey Till Aquitards*, 786-794.

Coudrain, A., A. Talbi, E. Ledoux, M. Loubet, J. Vacher, E. Ramirez, *Subsurface Transfer of Chloride After a Lake Retreat in the Central Andes*, 751-759.

Cresswell, R.G., J. Bauld, G. Jacobson, M.S. Khadka, M.G. Jha, M.P. Shrestha, S. Regmi, *A First Estimate of Ground Water Ages for the Deep Aquifer of the Kathmandu Basin, Nepal, Using the Radioisotope Chlorine-36*, 449-457.

Dahan O., Z. Ronen, *Analytical Procedure for Simultaneous Use of Seven Fluorobenzoates in Multitracer Tests*, 366-370.

Darama, Y., *An Analytical Solution for Stream Depletion by Cyclic Pumping of Wells Near Streams with Semipervious Beds*, 79-86.

Doherty, J., *Improved Calculations for Dewatered Cells in MODFLOW*, 863-869.

Drew, L.J., J.H. Schuenemeyer, T.R. Armstrong, D.M. Sutphin, *Initial Yield to Depth Relation for Water Wells Drilled into Crystalline Bedrock—Pinardville, Quadrangle, New Hampshire*, 676-684.

Eganhouse R.P., I.M. Cozzarelli, M.A. Scholl, L.L. Matthews, *Natural Attenuation of Volatile Organic Compounds (VOCs) in the Leachate Plume of a Municipal Landfill: Using Alkylbenzenes as Process Probes*, 192-202.

Elci, A., F.J. Molz III, W.R. Waldrop, *Implications of Observed and Simulated Ambient Flow in Monitoring Wells*, 853-862.

Fennemore, G.G., A. Davis, L. Goss, A.W. Warrick, *A Rapid Screening-Level Method to Optimize Location of Infiltration Ponds*, 230-238.

Gangopadhyay, S., A. Das Gupta, M.H. Nachabe, *Evaluation of Ground Water Monitoring Network by Principal Component Analysis*, 181-191.

Gooddy, D.C., J.P. Bloomfield, P.J. Chilton, A.C. Johnson, R.J. Williams, *Assessing Herbicide Concentrations in the Saturated and Unsaturated Zone of a Chalk Aquifer in Southern England*, 262-271.

Gosselin, D.C., F.E. Harvey, C.D. Frost, *Geochemical Evolution of Ground Water in the Great Plains (Dakota) Aquifer of Nebraska: Implications for the Management of a Regional Aquifer System*, 98-108.

Guglielmi, Y., J. Mudry, *Quantitative Measurement of Channel-Block Hydraulic Interactions by Experimental Saturation of a Large, Natural, Fissured Rock Mass*, 696-701.

Haitjema, H., V. Kelson, W. de Lange, *Selecting MODFLOW Cell Sizes for Accurate Flow Fields*, 931-938.

Harvey, F.E., S.S. Sibray, *Delineating Ground Water Recharge from Leaking Irrigation Canals Using Water Chemistry and Isotopes*, 408-421.

Harvey, F.E., *Use of NADP Archive Samples to Determine the Isotope Composition of Precipitation: Characterizing the Meteoric Input Function for Use in Ground Water Studies*, 380-390.

Hendry, M.J., C.A. Mendoza, R. Kirkland, J.R. Lawrence, *An Assessment of a Mesocosm Approach to the Study of Microbial Respiration in a Sandy Unsaturated Zone*, 391-400.

Holocher, J., V. Matta, W. Aeschbach-Hertig, U. Beyerle, M. Hofer, F. Peeters, R. Kipfer, *Noble Gas and Major Element Constraints on the Water Dynamics in an Alpine Floodplain*, 841-852.

Hunt, B., J. Weir, B. Clausen, *A Stream Depletion Field Experiment*, 283-289.

Hunt, R.J., J.J. Steuer, M.T.C. Mansor, T.D. Bullen, *Delineating a Recharge Area for a Spring Using Numerical Modeling, Monte Carlo Techniques, and Geochemical Investigation*, 702-712.

Ibaraki, M., F.W. Schwartz, *Influence of Natural Heterogeneity on the Efficiency of Chemical Floods in Source Zones*, 660-666.

Istok, J.D., J.A. Field, M.H. Schroth, *In Situ Determination of Subsurface Microbial Enzyme Kinetics*, 348-355.

Jiao, J.J., S. Nandy, H. Li, *Analytical Studies on the Impact of Land Reclamation on Ground Water Flow*, 912-920.

Johnson, C.R., L.A. Hellerich, N.P. Nikolaidis, P.M. Gschwend, *Colloid Mobilization in the Field Using Citrate to Remediate Chromium*, 895-903.

Johnson, G.S., D.M. Cosgrove, D.B. Frederick, *A Numerical Model and Spreadsheet Interface for Pumping Test Analysis*, 582-592.

Julian, H.E., J.M. Boggs, C. Zheng, C.E. Freehey, *Numerical Simulation of a Natural Gradient Tracer Experiment for the Natural Attenuation Study: Flow and Physical Transport*, 534-545.

Labat, D., R. Ababou, A Mangin, *Introduction of Wavelet Analyses to Rainfall/Runoffs Relationship for a Karstic Basin: The Case of Licq-Atherey Karstic System (France)*, 605-615.

Lachassagne P., R. Wyns, P. Bérard, T. Bruel, L. Chéry, T. Coutand, J-F. Desprats, P. Le Strat, *Exploitation of High-Yields in Hard-Rock Aquifers: Downscaling Methodology Combining GIS and Multicriteria Analysis to Delineate Field Prospecting Zones*, 568-581.

Landon, M.K., D.L. Rus, F.E. Harvey, *Comparison of Instream Methods for Measuring Hydraulic Conductivity in Sandy Streambeds*, 870-885.

Loop, C.M., W.B. White, *A Conceptual Model for DNAPL Transport in Karst Ground Water Basins*, 119-127.

Marie, A., A. Vengosh, *Success of Salinity in Ground Water from Jericho Area, Jordan Valley*, 240-248.

Massmann, J., L. Johnson, *Exercises Illustrating Flow in Porous Media*, 499-504.

McConville, C., R.M. Kalin, H. Johnston, G.W. McNeill, *Evaluation of Recharge in a Small Temperate Catchment Using Natural and Applied $\delta^{18}O$ Profiles in the Unsaturated Zone*, 616-623.

McElwee, C.D., *Application of a Nonlinear Slug Test Model*, 737-744.

Mehl, S., M.C. Hill, *A Comparison of Solute-Transport Solution Techniques and Their Effect on Sensitivity Analysis and Inverse Modeling Results*, 300-307.

Meier, P.M., A. Medina, J. Carrera, *Geostatistical Inversion of Cross-Hole Pumping Tests for Identifying Preferential Flow Channels Within a Shear Zone*, 10-17.

Meju, M.A., S.L. Fontes, E.U. Ulugergerli, E.F. La Terra, C.R. Germano, R.M. Carvalho, *A Joint TEM-HLEM Geophysical Approach to Borehole Siting in Deeply Weathered Granitic Terrains*, 554-567.

Mettler, S., M. Abdelmoula, E. Hoehn, R. Schoenenberger, P. Weidler, U. von Gunten, *Characterization of Iron and Manganese Precipitates from an In Situ Ground Water Treatment Plant*, 921-930.

Nolan, B.T., *Relating Nitrogen Sources and Aquifer Susceptibility to Nitrate in Shallow Ground Waters of the United States*, 290-299.

Ojiambo, B.S., R.J. Poreda, W.B. Lyons, *Ground Water/Surface Water Interactions in Lake Naivasha, Kenya, Using δ^{18}, δD, and $^3H/^3He$ Age-Dating*, 526-533.

Paillet, F.L., *Hydraulic Head Applications of Flow Logs in the Study of Heterogeneous Aquifers*, 667-675.

Painter, S., V. Cvetkovic, D.R. Turner, *Effect of Heterogeneity on Radionuclide Retardation in the Alluvial Aquifer Near Yucca Mountain, Nevada*, 326-338.

Paulsen, R.J., C.F. Smith, D. O'Rourke, T-F. Wong, *Development and Evaluation of an Ultrasonic Ground Water Seepage Meter*, 904-911.

Pérez, E. S., *Distribution Functions of Spring Discharges According to Their Lithologies and the Influence of Lower Limit to Flow: An Example from Spain*, 203-209.

Ritzi Jr., R.W., J.M. Bukowski, C.K. Carney, M.R. Boardman, *Explaining the Thinness of the Fresh Water Lens in the Pleistocene Carbonate Aquifer on Andros Island, Bahamas*, 713-720.

Routh, J., E.L. Grossman, E.M. Murphy, R. Benner, *Characterization and Origin of Dissolved Organic Carbon in Yegua Ground Water in Brazos County, Texas*, 760-767.

Rupert, M.G., *Calibration of the DRASTIC Ground Water Vulnerability Mapping Method*, 625-630.

Rupp. D.E., J.S. Selker, J. Šmůnek, *A Modification to the Bouwer and Rice Method of Slug-Test Analysis for Large-Diameter, Hand-Dug Wells*, 308-314.

Sakr, S.A., *Type Curves for Pumping Test Analysis in Coastal Aquifers*, 5-9.

Santiago, M.F., H. Frischkorn, P.S. Neto, J.M. Filho, *The Recharge Mechanisms in an Alluvial Aquifer Zone in Northeast Brazil*, 18-23.

Scheibe, T.D., Y.-J. Chien, J.S. Radtke, *Use of Quantitative Models to Design Microbial Transport Experiments in a Sandy Aquifer*, 210-222.

Schilling, K.E., C.F. Wolter, *Contribution of Base Flow to Nonpoint Source Pollution Loads in an Agricultural Watershed*, 49-58.

Schirmer, M., G.C. Durrant, J.W. Molson, E.O. Frind, *Influence of Transient Flow on Contaminant Biodegradation*, 276-282.

Schwartz, F.W., M. Ibaraki, *Hydrogeolgocial Research: Beginning of the End or End of the Beginning?* 492-498.

Shamukh, M., M.Y. Corapcioglu, F.A.A. Hassona, *Modeling the Effect of Chemical Fertilizers on Ground Water Quality in the Nile Valley Aquifer, Egypt*, 59-67.

Soliz, J.G., H.L. Acebo, *A Model of Cells as Practical Approach to Simulate Spring Flow in the Itxina Karstic Aquifer, Basque Country, Spain*, 339-347.

Spitz, F.J., R.S. Nicholson, D.A. Pope, *A Nested Rediscretization Method to Improve Pathline Resolution by Eliminating Weak Sinks Representing Wells*, 778-785.

Stone, D.B., C.L. Moomaw, A. Davis, *Estimating Recharge Distribution by Incorporating Runoff from Mountainous Areas in an Alluvial Basin in the Great Basin Region of the Southwestern United States*, 807-818.

Temples, T.J., M.G. Waddell, W.J. Domoracki, J. Eyer, *Noninvasive Determination of the Location and Distribution of DNAPL Using Advanced Seismic Reflection Techniques*, 465-474.

Tiedeman, C.R., P.A. Hsieh, *Assessing an Open-Well Aquifer Test in Fractured Crystalline Rock*, 68-78.

Vesselinov, V.V., S.P. Neuman, *Numerical Inverse Interpretation of Single-Hole Pneumatic Tests in Unsaturated Fractured Tuff*, 685-695.

Vidstrand, P., *Comparison of Upscaling Methods to Estimate Hydraulic Conductivity*, 401-407.

Warner, K.L., *Arsenic in Glacial Drift Aquifers and the Implication for Drinking Water—Lower Illinois River Basin*, 433-442.

Woessner, W.W., P.N. Ball, D.C. DeBorde, T.L. Troy, *Viral Transport in a Sand and Gravel Aquifer Under Field Pumping Conditions*, 886-894.

Yager, R.M., J.C. Fountain, *Effect of Natural Gas Exsolution on Specific Storage in a Confined Aquifer Undergoing Water Level Decline*, 517-525.

Zelewski, L.M., D.P. Krabbenhoft, D.E. Armstrong, *Trace Metal Concentrations in Shallow Ground Water*, 485-491.

Zhang, P., W.P. Johnson, M.J. Piana, C.C. Fuller, D.L. Naftz, *Potential Artifacts in Interpretation of Differential Breakthrough of Colloids and Dissolved Tracers in the Context of Transport in a Zero-Valent Iron Permeable Reactive Barrier*, 831-840.

Zhou, X., M. Chen, W. Zhao, M. Li, *Modeling of a Deep-Seated Geothermal System Near Tianjin, China*, 443-448.

Zlotnik, V.A., B.R. Zurbuchen, T. Ptak, *The Steady-State Dipole-Flow Test for Characterization of Hydraulic Conductivity Statistics in a Highly Permeable Aquifer: Horkheimer Insel Site, Germany*, 504-516.